## NSN 5315-00-133-7982

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-133-7982 First End Style: Slotted **Shank Length:** 1.094 inches **Shoulder Diameter:** Between 0.485 inches and 0.490 inches **Shank Diameter:** 0.310 inches **Overall Length:** 3.062 inches First Hole Diameter: 0.250 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Not identical **Second Shank Diameter:** 0.344 inches **First End Location:** Short shank end First End Taper Angle: 45.0 degrees **Surface Finish:** 125.000 microinches **Second Shank Length:** 1.500 inches Material: Steel comp 1015 or steel comp 1025 or steel comp 1112 or steel comp 1113 **Material Specification:** Fed standard 66 federal standard all material responses **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-p-16232, ty m, cl 2 military specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5315-00-133-7982

Headless Shoulder Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.