

View Online at <https://aerobasegroup.com/nsn/5315-00-148-3970>

First End Style:

Chamfered

Second End Style:

Chamfered

Shank Length:

0.260 inches

Shoulder Diameter:

Between 0.372 inches and 0.373 inches

Shank Diameter:

Between 0.188 inches and 0.189 inches

Overall Length:

2.050 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

Between 0.092 inches and 0.097 inches

Distance From Centerline Of Hole To End Of Pin:

0.300 inches

First End Taper Length:

0.031 inches

Second End Taper Length:

0.060 inches

Second End Relationship With First End:

Not identical

Second Shank Diameter:

Between 0.248 inches and 0.249 inches

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

Second Shank Length:

1.165 inches

Material:

Steel comp 630

Material Specification:

Fms-0131-h900 fscm 81755 mfr ref single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Style Designator:

Shoulder

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-5002 spec.