NSN 5315-00-159-1813

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-159-1813 First End Style: Chamfered Second End Style: Pointed **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.477 inches **Shank Length:** 0.547 inches **Shoulder Width Across Flats:** 0.560 inches **Shank Diameter:** Between 0.3045 inches and 0.3050 inches **Overall Length:** 1.698 inches First End Taper Length: Between 0.031 inches and 0.063 inches **Second End Taper Length:** Between 0.031 inches and 0.063 inches **Second End Relationship With First End:** Not identical Hardness Rating: 40.0 rockwell c and 47.0 rockwell c **Thread Size:** 0.3125 inches **Second Shank Diameter:** Between 0.3266 inches and 0.3271 inches First End Location: Short shank end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 45.0 degrees **Second Shank Length:** 1.051 inches Material: Steel comp 630

Material Specification:

Ams 5643 assn standard single material response

NSN 5315-00-159-1813

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A212a0