NSN 5315-00-168-7338

Headless Shoulder Pin - Page 1 of 1

No Fiig: A212a0



View Online at https://aerobasegroup.com/nsn/5315-00-168-7338 First End Style: Chamfered **Shank Length:** Between 0.115 inches and 0.120 inches Shoulder Diameter: Between 0.235 inches and 0.240 inches **Shank Diameter:** Between 0.1835 inches and 0.1840 inches **Overall Length:** Between 0.260 inches and 0.280 inches First End Taper Length: Between 0.010 inches and 0.015 inches Second End Relationship With First End: Identical **Hardness Rating:** 30.0 rockwell c and 34.0 rockwell c First End Location: Both ends First End Taper Angle: 45.0 degrees **Criticality Code Justification:** Aaze Surface Finish: 32.0 microinches both ends **Second Shank Length:** Between 0.115 inches and 0.120 inches Material: Steel comp 410 **Material Specification:** Ams 5613 assn standard single material response **Style Designator:** Shoulder **Test Data Document:** 81343-ams2640 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure: Demilitarization:**