Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-172-3773

First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2a **Thread Direction: Right-hand Thread Length:** 0.625 inches Shank Length: 1.125 inches **Shoulder Diameter:** 1.000 inches Shank Diameter: Between 0.305 inches and 0.310 inches **Overall Length:** Between 2.122 inches and 2.212 inches Internal Drive Style: Slot First End Taper Length: 0.031 inches Second End Taper Length: 0.200 inches Second End Relationship With First End: Not identical **Thread Size:** 0.312 inches Second Shank Diameter: 0.312 inches **First End Location:** Shank end First End Taper Angle: 40.0 degrees Second End Taper Angle: 50.0 degrees Second Shank Length: Between 0.835 inches and 0.915 inches Material: Steel comp 303 **Material Specification:** Qq-s-764 federal specification single material response

## NSN 5315-00-172-3773

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Shoulder

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0