NSN 5315-00-173-1959

Headless Grooved Pin - Page 1 of 2



Thousand Discover in Trage 1 of 2
View Online at https://aerobasegroup.com/nsn/5315-00-173-1959
First End Style:
Chamfered
Overall Length:
4.875 inches
Diameter:
Between 1.708 inches and 1.728 inches
Effective Length:
3.875 inches
Undercut Diameter:
1.500 inches
Undercut Width:
0.375 inches
Second Undercut Width:
0.375 inches
Undercut Radius:
Between 0.128 inches and 0.133 inches
Hole Arrangement Style:
Both end drilled
First Hole Diameter:
Between 0.271 inches and 0.281 inches
Second Hole Diameter:
Between 0.271 inches and 0.281 inches
Distance From Centerline Of Hole To End Of Pin:
0.312 inches
Center To Center Distance Between Holes:
4.250 inches
First End Taper Length:
0.125 inches
Second End Relationship With First End:
Identical
Hardness Rating:

28.0 rockwell c and 33.0 rockwell c

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Material:

Steel comp 4130 or steel comp 5130

Material Specification:

Qq-s-624 federal specification all material responses

Surface Treatment:

Cadmium

NSN 5315-00-173-1959

Headless Grooved Pin - Page 2 of 2



Surface Treatment Speci

Qq-p-416, type 2, cl 2 federal specification single treatment response

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0