

View Online at <https://aerobasegroup.com/nsn/5315-00-177-1216>

**First End Style:**

Chamfered

**Second End Style:**

Oval

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.167 inches and 0.172 inches

**Shank Length:**

Between 0.187 inches and 0.192 inches

**Shoulder Diameter:**

Between 0.120 inches and 0.125 inches

**Shank Diameter:**

0.086 inches

**Overall Length:**

Between 0.427 inches and 0.447 inches

**Internal Drive Style:**

Slot

**First End Taper Length:**

0.015 inches

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.086 inches

**First End Location:**

Shank end

**First End Taper Angle:**

45.0 degrees

**Surface Finish:**

63.0 microinches shoulder end

**Second End Outer Radius:**

0.125 inches

**Material:**

Steel comp 303

**Material Specification:**

Qq-s-764, cond a federal specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-f-14072, e300 military specification single treatment response

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-f-14072 spec.