## NSN 5315-00-177-1339

Headless Straight Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-00-177-1339

First End Style: Oval Pinlength: Between 2.230 inches and 2.250 inches Pindiameter: Between 0.1092 inches and 0.1094 inches Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization: No	
Pinlength: Between 2.230 inches and 2.250 inches Pindiameter: Between 0.1092 inches and 0.1094 inches Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:	First End Style:
Between 2.230 inches and 2.250 inches Pindiameter: Between 0.1092 inches and 0.1094 inches Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization:	Oval
Pindiameter: Between 0.1092 inches and 0.1094 inches Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: 	Pinlength:
Between 0.1092 inches and 0.1094 inches Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Between 2.230 inches and 2.250 inches
Second End Relationship With First End: Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: 	Pindiameter:
Identical Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization:	Between 0.1092 inches and 0.1094 inches
Hardness Rating: 45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: 	Second End Relationship With First End:
45.0 rockwell c and 50.0 rockwell c First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Identical
First End Outer Radius: Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: 	Hardness Rating:
Between 0.100 inches and 0.120 inches Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization:	45.0 rockwell c and 50.0 rockwell c
Surface Finish: 16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	First End Outer Radius:
16.0 microinches Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Between 0.100 inches and 0.120 inches
Material: Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Surface Finish:
Stainless steel Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	16.0 microinches
Material Specification: Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Material:
Ams 5616 assn standard single material response Shelf Life: N/a Unit Of Measure:  Demilitarization:	Stainless steel
Shelf Life: N/a Unit Of Measure:  Demilitarization:	Material Specification:
N/a Unit Of Measure:  Demilitarization:	Ams 5616 assn standard single material response
Unit Of Measure:  Demilitarization:	Shelf Life:
 Demilitarization:	N/a
Demilitarization:	Unit Of Measure:
No	Demilitarization:
	No
Fiig:	Fiig:
A212a0	A212a0