

View Online at <https://aerobasegroup.com/nsn/5315-00-177-7595>

First End Style:

Chamfered

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

0.107 inches

Second Hole Diameter:

0.107 inches

Distance From Centerline Of Hole To End Of Pin:

0.120 inches

Center To Center Distance Between Holes:

6.812 inches

Pinlength:

7.060 inches

Pindiameter:

0.6250 inches

First End Taper Length:

0.030 inches

Second End Relationship With First End:

Identical

First End Taper Angle:

45.0 degrees

Material:

Steel or steel comp b1112 or steel comp b1113 or steel comp 1117 or steel comp 1118

Material Specification:

Qq-s-634, 1018 through 1025 federal specification 1st material response or qq-s-637 federal specification 2nd material response or qq-s-637 federal specification 3rd material response or qq-s-637 federal specification 4th material response or qq-s-637 federal specification 5th material response

Surface Treatment:

Phosphate manganese or phosphate zinc

Surface Treatment Specification:

Mil-p-16232, ty m cl 1 military specification 1st treatment response or mil-p-16232, ty z, cl 1 military specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.