

View Online at <https://aerobasegroup.com/nsn/5315-00-177-7595>

**First End Style:**

Chamfered

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

0.107 inches

**Second Hole Diameter:**

0.107 inches

**Distance From Centerline Of Hole To End Of Pin:**

0.120 inches

**Center To Center Distance Between Holes:**

6.812 inches

**Pinlength:**

7.060 inches

**Pindiameter:**

0.6250 inches

**First End Taper Length:**

0.030 inches

**Second End Relationship With First End:**

Identical

**First End Taper Angle:**

45.0 degrees

**Material:**

Steel or steel comp b1112 or steel comp b1113 or steel comp 1117 or steel comp 1118

**Material Specification:**

Qq-s-634, 1018 through 1025 federal specification 1st material response or qq-s-637 federal specification 2nd material response or qq-s-637 federal specification 3rd material response or qq-s-637 federal specification 4th material response or qq-s-637 federal specification 5th material response

**Surface Treatment:**

Phosphate manganese or phosphate zinc

**Surface Treatment Specification:**

Mil-p-16232, ty m cl 1 military specification 1st treatment response or mil-p-16232, ty z, cl 1 military specification 2nd treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-p-16232 spec.