

View Online at <https://aerobasegroup.com/nsn/5315-00-195-3606>

First End Style:

Chamfered

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

Between 0.062 inches and 0.065 inches

Second Hole Diameter:

Between 0.062 inches and 0.065 inches

Distance From Centerline Of Hole To End Of Pin:

0.291 inches

Center To Center Distance Between Holes:

1.959 inches

Pinlength:

3.625 inches

Pindiameter:

Between 0.1870 inches and 0.1872 inches

First End Taper Length:

Between 0.015 inches and 0.030 inches

Second End Relationship With First End:

Identical

First End Taper Angle:

45.0 degrees

Special Features:

Third hole 0.062 in. Min 0.065 in. Max diameter located on common vertical center line between 1st and second holes approx 0.490 in. From the second hole

Material:

Steel comp 303

Material Specification:

Qq-s-764 federal specification single material response

Special Test Features:

Special quality control testing

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

As differentiated by material which must conform to ships parts control center special quality control provisions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0