## NSN 5315-00-200-8308

Headless Grooved Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-200-8308 First End Style: Chamfered **Overall Length:** Between 1.021 inches and 1.041 inches Diameter: Between 0.4365 inches and 0.4370 inches **Effective Length:** Between 0.875 inches and 0.885 inches **Undercut Diameter:** Between 0.410 inches and 0.414 inches **Undercut Width:** Between 0.028 inches and 0.031 inches **Second Undercut Width:** Between 0.028 inches and 0.031 inches First End Taper Length: Between 0.021 inches and 0.041 inches Second End Relationship With First End: Identical **Hardness Rating:** 40.0 rockwell c and 45.0 rockwell c **First End Location:** Both ends First End Taper Angle: Between 43.0 degrees and 47.0 degrees **Surface Finish:** 32.0 microinches outside diameter Material: Steel comp 8640 **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-p-16232, type 1 military specification single treatment response **Style Designator:** Groove Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

Fiig:

A212a0

## NSN 5315-00-200-8308

Headless Grooved Pin - Page 2 of 2



Mil-std (military Standard):

Mil-p-16232 spec.