NSN 5315-00-200-8308

Headless Grooved Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-200-8308

First End Style:
Chamfered
Overall Length:
Between 1.021 inches and 1.041 inches
Diameter:
Between 0.4365 inches and 0.4370 inches
Effective Length:
Between 0.875 inches and 0.885 inches
Undercut Diameter:
Between 0.410 inches and 0.414 inches
Undercut Width:
Between 0.028 inches and 0.031 inches
Second Undercut Width:
Between 0.028 inches and 0.031 inches
First End Taper Length:
Between 0.021 inches and 0.041 inches
Second End Relationship With First End:
Identical
Hardness Rating:
40.0 rockwell c and 45.0 rockwell c
First End Location:
Both ends
First End Taper Angle:
Between 43.0 degrees and 47.0 degrees
Surface Finish:
32.0 microinches outside diameter
Material:
Steel comp 8640
Surface Treatment:
Phosphate
Surface Treatment Specification:
Mil-p-16232, type 1 military specification single treatment response
Style Designator:
Groove
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0

NSN 5315-00-200-8308

Headless Grooved Pin - Page 2 of 2

Mil-std (military Standard):

Mil-p-16232 spec.

