Threaded Tapered Pin - Page 1 of 2





NSN 5315-00-221-2737 View Online at https://aerobasegroup.com/nsn/5315-00-221-2737 First End Style: Oval Second End Style: Square Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 0.422 inches and 0.454 inches **Taper Length:** Between 2.484 inches and 2.516 inches **Taper Minor Diameter:** Between 0.253 inches and 0.257 inches **Taper Major Diameter:** 0.350 inches Hole Arrangement Style: One end drilled **First Hole Diameter:** Between 0.070 inches and 0.080 inches **Distance From Centerline Of Hole To End Of Pin:** Between 0.109 inches and 0.141 inches Grip Length: Between 2.359 inches and 2.391 inches Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches Taper: 0.500 per foot in inches **First End Location:** Oval end

First End Outer Radius:

0.500 inches

Material:

Steel comp 4130 or steel comp 8630 or steel comp 8735 or steel comp 8740

Material Specification:

Fed standard 66 federal standard all material responses

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 1, cl 3 federal specification single treatment response

NSN 5315-00-221-2737

Threaded Tapered Pin - Page 2 of 2

Style Designator:

Threaded at small end

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

