## NSN 5315-00-226-3263

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-226-3263 First End Style: Chamfered **Shank Length:** Between 0.150 inches and 0.170 inches Shoulder Diameter: Between 0.187 inches and 0.188 inches **Shank Diameter:** Between 0.143 inches and 0.144 inches **Overall Length:** Between 0.740 inches and 0.760 inches First End Taper Length: 0.020 inches Second End Relationship With First End: Identical **Second Shank Diameter:** Between 0.143 inches and 0.144 inches First End Location: Both ends First End Taper Angle: 45.0 degrees **Surface Finish:** 125.000 microinches **Second Shank Length:** Between 0.150 inches and 0.170 inches **Special Features:** Groove 0.155 in. Nom dia, 0.070 in. Nomw in shoulder portion Material: Aluminum alloy 2024 **Material Specification:** Qq-a-225/6 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625 military specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5315-00-226-3263

Headless Shoulder Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-a-8625 spec.