NSN 5315-00-226-3263

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-226-3263

First End Style:
Chamfered
Shank Length:
Between 0.150 inches and 0.170 inches
Shoulder Diameter:
Between 0.187 inches and 0.188 inches
Shank Diameter:
Between 0.143 inches and 0.144 inches
Overall Length:
Between 0.740 inches and 0.760 inches
First End Taper Length:
0.020 inches
Second End Relationship With First End:
Identical
Second Shank Diameter:
Between 0.143 inches and 0.144 inches
First End Location:
Both ends
First End Taper Angle:
45.0 degrees
Surface Finish:
125.000 microinches
Second Shank Length:
Between 0.150 inches and 0.170 inches
Special Features:
Groove 0.155 in. Nom dia, 0.070 in. Nomw in shoulder portion
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Shoulder
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
No

NSN 5315-00-226-3263

Headless Shoulder Pin - Page 2 of 2

Fiig: A212a0

Mil-std (military Standard):

Mil-a-8625 spec.

