

View Online at <https://aerobasegroup.com/nsn/5315-00-235-4550>

**First End Style:**

Chamfered

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

Between 0.140 inches and 0.143 inches

**Second Hole Diameter:**

Between 0.140 inches and 0.143 inches

**Distance From Centerline Of Hole To End Of Pin:**

0.228 inches

**Center To Center Distance Between Holes:**

Between 2.190 inches and 2.195 inches

**Pinlength:**

Between 2.644 inches and 2.654 inches

**Pindiameter:**

Between 0.7470 inches and 0.7479 inches

**First End Taper Length:**

0.030 inches

**Second End Relationship With First End:**

Identical

**Hardness Rating:**

39.0 rockwell c and 43.0 rockwell c

**First End Taper Angle:**

45.0 degrees

**Material:**

Steel comp e4340 or steel comp 4340

**Material Specification:**

Mil-s-5000 cond c military specification single material response

**Surface Treatment:**

Cadmium or nickel

**Surface Treatment Specification:**

Ss 8414 78286 mfr ref single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-s-5000 spec.