

View Online at <https://aerobasegroup.com/nsn/5315-00-237-6732>

**Head Diameter:**

Between 1.200 inches and 1.280 inches

**Handle Length:**

Between 2.750 inches and 2.875 inches

**Shank Diameter:**

Between 0.9970 inches and 0.9985 inches

**Detent Quantity:**

2

**Actuation Method:**

Push button

**End Application:**

W/s: support equipment, f-4 aircraft; support equipment, f-16 aircraft

**Grip Length:**

Between 5.000 inches and 5.020 inches

**Actuation Type:**

Pull and push

**Hardness Rating:**

40.0 rockwell c spindle

**Shoulder To Head End Distance:**

1.830 inches

**Pin Attachment Type:**

Link or ring

**Detent To Tapered End Distance:**

1.100 inches

**Material:**

Steel comp 630 spindle or steel comp 632 spindle

**Material Specification:**

Ams 5643 assn standard 1st material response spindle or ams 5657 assn standard 2nd material response spindle

**Surface Treatment:**

Passivate spindle

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response spindle

**Style Designator:**

T handle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0