

View Online at <https://aerobasegroup.com/nsn/5315-00-245-3517>

**First End Style:**

Chamfered

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.620 inches

**Shank Length:**

0.680 inches

**Shoulder Diameter:**

0.375 inches

**Shank Diameter:**

Between 0.245 inches and 0.250 inches

**Overall Length:**

Between 1.984 inches and 2.016 inches

**Internal Drive Style:**

Slot

**First End Taper Length:**

0.020 inches

**Second End Relationship With First End:**

Identical

**Thread Size:**

0.375 inches

**Second Shank Diameter:**

Between 0.245 inches and 0.250 inches

**First End Location:**

Both ends

**First End Taper Angle:**

45.0 degrees

**Second Shank Length:**

0.700 inches

**Special Features:**

Threaded shoulder

**Material:**

Steel comp 303

**Material Specification:**

Astm a-582 cond1 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-f-14072, e300 military specification single treatment response

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-f-14072 spec.