NSN 5315-00-245-7786

Headless Shoulder Pin - Page 1 of 2

Shoulder



View Online at https://aerobasegroup.com/nsn/5315-00-245-7786

E' 4 E 104 I
First End Style:
Chamfered Construct Find Codes
Second End Style:
Square
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
1.012 inches
Shank Length:
1.102 inches
Shoulder Diameter:
Between 0.6844 inches and 0.6846 inches
Shank Diameter:
0.625 inches
Overall Length:
3.540 inches
First End Taper Length:
0.718 inches
Thready Qty Per Inch (tpi):
18
Second End Relationship With First End:
Not identical
Thread Size:
0.625 inches
First End Location:
Shoulder end
First End Taper Angle:
28.0 degrees
Special Features:
Keyway in shoulder 0.156 in. W, 0.375 in. Lg, 0.040 in. Deep, 0.120 in. From threaded end
Material:
Steel comp 303
Material Specification:
Qq-s-763, cond a federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, e300 military specification single treatment response
Style Designator:

NSN 5315-00-245-7786

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-f-14072 spec.