

View Online at <https://aerobasegroup.com/nsn/5315-00-264-0121>

First End Style:

Chamfered

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.250 inches

Shank Length:

Between 0.279 inches and 0.389 inches

Shoulder Width Across Flats:

Between 0.111 inches and 0.113 inches

Shank Diameter:

Between 0.091 inches and 0.095 inches

Overall Length:

0.700 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

0.032 inches

Distance From Centerline Of Hole To End Of Pin:

0.093 inches

First End Taper Length:

Between 0.020 inches and 0.059 inches

Thready Qty Per Inch (tpi):

40

Second End Relationship With First End:

Identical

Thread Size:

0.112 inches

Second Shank Diameter:

0.112 inches

First End Location:

Threaded end

First End Taper Angle:

Between 45.0 degrees and 60.0 degrees

Second Shank Length:

Between 0.279 inches and 0.389 inches

Material:

Steel comp 303

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Gold

Surface Treatment Specification:

Mil-g-45204 type 2 class 1 military specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-g-45204 spec.