NSN 5315-00-276-0113

Headless Straight Pin - Page 1 of 1





First End Style:
Chamfered
Second End Style:
Radius
Pinlength:
Between 0.359 inches and 0.391 inches
Pindiameter:
Between 0.1244 inches and 0.1246 inches
Second End Corner Radius:
0.041 inches
First End Taper Length:
0.031 inches
Second End Relationship With First End:
Not identical
Hardness Rating:
35.0 rockwell c
First End Taper Angle:
10.0 degrees
10.0 degrees
10.0 degrees Material:
10.0 degrees Material: Steel comp 416se
10.0 degrees Material: Steel comp 416se Material Specification:
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment:
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life:
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life: N/a
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life: N/a
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:
10.0 degrees Material: Steel comp 416se Material Specification: Qq-s-763 federal specification single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization: No