

View Online at <https://aerobasegroup.com/nsn/5315-00-276-5482>

First End Style:

Oval

Overall Length:

Between 0.615 inches and 0.635 inches

Second End Relationship With First End:

Identical

Pin Small End Diameter:

Between 0.0771 inches and 0.0781 inches

Shear Strength:

860 double pounds per square inch

First End Location:

Both ends

Pin Large End Diameter:

Between 0.083 inches and 0.085 inches

First End Outer Radius:

Between 0.0837 inches and 0.1037 inches

Material:

Steel comp 301 or steel comp 302 or steel comp 302b or steel comp 303 or steel uns s34723 or steel comp 303 plus x or steel comp 303cu or steel comp 303f or steel uns s34720 or steel comp 303ma or steel comp 303pb or steel comp 303s or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 308 or steel comp 309 or steel comp 309s or steel comp 310 or steel comp 310s or steel comp 314 or steel comp 316 or steel comp 316f or steel comp 316l or steel comp 317 or steel comp 317l or steel comp 321 or steel comp 322 or steel comp 323 or steel comp 324 or steel comp 347 or steel comp 348 or steel comp 384 or steel comp 385

Material Specification:

66 federal standard all material responses

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Full length groove

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0