NSN 5315-00-286-4344

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-286-4344 First End Style: Chamfered **Shank Length:** Between 0.406 inches and 0.469 inches Shoulder Diameter: Between 0.3725 inches and 0.3735 inches **Shank Diameter:** Between 0.219 inches and 0.281 inches **Overall Length:** Between 3.344 inches and 3.406 inches **Hole Arrangement Style:** Drilled through center First Hole Diameter: Between 0.125 inches and 0.127 inches First End Taper Length: Between 0.031 inches and 0.062 inches Second End Relationship With First End: Identical **Second Shank Diameter:** Between 0.219 inches and 0.281 inches **First End Location:** Both ends First End Taper Angle: Between 44.5 degrees and 45.5 degrees **Surface Finish:** 16.0 microinches shank end **Second Shank Length:** Between 0.406 inches and 0.469 inches Material: Steel comp 4130 **Material Specification:** Mil-s-6758 cond e-4 military specification single material response **Surface Treatment:** Chromium **Surface Treatment Specification:** Mil-p-6871 type 2 class b (cancelled) military specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a

--

Unit Of Measure:

NSN 5315-00-286-4344

Headless Shoulder Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.