

View Online at <https://aerobasegroup.com/nsn/5315-00-310-1248>

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.840 inches

Shank Length:

Between 0.985 inches and 1.015 inches

Shoulder Diameter:

Between 0.6226 inches and 0.6239 inches

Shank Diameter:

Between 0.368 inches and 0.375 inches

Overall Length:

5.675 inches

First End Taper Length:

Between 0.050 inches and 0.080 inches

Second End Taper Length:

0.740 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.375 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Surface Finish:

40.0 microinches shoulder bearing surface

Special Features:

Flat surface on shank 0.500 in. Across flats; 0.380 in. W

Material:

Steel comp 8630

Material Specification:

Mil-s-6050, cond c-1 military specification single material response

Surface Treatment:

Chromium shank

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6050 spec.