## NSN 5315-00-316-6059

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-316-6059

First End Style: Chamfered Second End Style: Pointed Thread Class: 2a **Thread Direction: Right-hand Thread Length:** 0.500 inches Shank Length: 0.500 inches **Shoulder Diameter:** 0.625 inches Shank Diameter: 0.312 inches **Overall Length:** Between 1.960 inches and 1.990 inches First End Taper Length:

0.047 inches

Second End Taper Length:

0.500 inches

Second End Relationship With First End:

Not identical

**Thread Size:** 

0.312 inches

Second Shank Diameter:

Between 0.436 inches and 0.438 inches

**First End Location:** 

Threaded end

First End Taper Angle:

45.0 degrees

Surface Finish:

8.0 microinches shank end

Second End Taper Angle:

40.0 degrees

Second Shank Length:

1.375 inches

**Special Features:** 

Shoulder has 2 flats 0.500 in. Apart

Material:

Steel comp 630

## NSN 5315-00-316-6059

Headless Shoulder Pin - Page 2 of 2



Material Specification:

Ams 5643 assn standard single material response

Surface Treatment:

Passivate

Style Designator:

Shoulder

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A212a0