## NSN 5315-00-324-3596

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-324-3596 First End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.490 inches and 0.510 inches **Shank Length:** Between 0.865 inches and 0.885 inches **Shoulder Diameter:** Between 0.373 inches and 0.374 inches **Shank Diameter:** Between 0.309 inches and 0.311 inches **Overall Length:** Between 3.640 inches and 3.660 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.125 inches and 0.130 inches **Distance From Centerline Of Hole To End Of Pin:** 0.245 inches First End Taper Length: Between 0.020 inches and 0.040 inches Second End Relationship With First End: Identical **Thread Size:** 0.312 inches First End Location: Both ends First End Taper Angle: 45.0 degrees **Surface Finish:** 35.0 microinches shoulder end Material: Steel comp 1020 or steel comp 1022 or steel comp 1025 or steel comp 1030 or steel comp 1035 or steel comp 1040 or steel comp 1045 **Material Specification:** Astm a108 assn standard all material responses

Unc

Shoulder

**Style Designator:** 

**Thread Series Designator:** 

## NSN 5315-00-324-3596

Headless Shoulder Pin - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0