NSN 5315-00-324-9343

Headless Shoulder Pin - Page 1 of 2

First End Style: Chamfered



View Online at https://aerobasegroup.com/nsn/5315-00-324-9343

Second End Style:
Slotted
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.250 inches
Shank Length:
0.311 inches
Shoulder Diameter:
0.138 inches
Shank Diameter:
0.092 inches
Overall Length:
0.561 inches
Second End Slot Width:
0.020 inches
Second End Slot Depth:
0.020 inches
Features Provided:
Casehardened
Thready Qty Per Inch (tpi):
40
Second End Relationship With First End:
Not identical
Thread Size:
0.138 inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Material:
Steel
Material Specification:
Astm a576 comp 1113 assn standard single material response
Surface Treatment:
Phosphate manganese
Surface Treatment Specification:
Mil-p-16232, type m, class 2 military specification single treatment response

NSN 5315-00-324-9343

Headless Shoulder Pin - Page 2 of 2



Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0

Style Designator:

Mil-p-16232 spec.

Mil-std (military Standard):