NSN 5315-00-324-9343

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-324-9343

First End Style:

Chamfered

Second End Style:

Slotted

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.250 inches

Shank Length:

0.311 inches

Shoulder Diameter:

0.138 inches

Shank Diameter:

0.092 inches

Overall Length:

0.561 inches

Second End Slot Width:

0.020 inches

Second End Slot Depth:

0.020 inches

Features Provided:

Casehardened

Thready Qty Per Inch (tpi):

40

Second End Relationship With First End:

Not identical

Thread Size:

0.138 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Material:

Steel

Material Specification:

Astm a576 comp 1113 assn standard single material response

Surface Treatment:

Phosphate manganese

Surface Treatment Specification:

Mil-p-16232, type m, class 2 military specification single treatment response

NSN 5315-00-324-9343

Headless Shoulder Pin - Page 2 of 2

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.

