NSN 5315-00-335-2013

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-335-2013

First End Style:
Chamfered
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.358 inches
Shank Length:
0.422 inches
Shoulder Width Across Flats:
0.250 inches
Shank Diameter:
0.125 inches
Overall Length:
0.812 inches
First End Taper Length:
0.010 inches
Second End Relationship With First End:
Identical
Thread Size:
0.164 inches
Second Shank Diameter:
0.164 inches
First End Location:
Both ends
First End Taper Angle:
45.0 degrees
Second Shank Length:
0.390 inches
Special Features:
Groove smaller diameter shank 0.062 from end 0.062 in. W by 0.125 in. Dia
Material:
Steel comp 416
Material Specification:
Qq-s-763, cl 416, cond a, cold finished federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder

Shoulder

NSN 5315-00-335-2013

Headless Shoulder Pin - Page 2 of 2



Test Data Document:

98230-ce11600 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0