

View Online at <https://aerobasegroup.com/nsn/5315-00-335-4710>

First End Style:

Chamfered

Second End Style:

Pointed

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.800 inches and 0.820 inches

Shank Length:

Between 1.050 inches and 1.070 inches

Shoulder Width Across Flats:

Between 0.490 inches and 0.510 inches

Shank Diameter:

Between 0.309 inches and 0.312 inches

Overall Length:

Between 5.300 inches and 5.320 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

Between 0.068 inches and 0.088 inches

Distance From Centerline Of Hole To End Of Pin:

0.180 inches

First End Taper Length:

Between 0.180 inches and 0.200 inches

Second End Taper Length:

Any acceptable

Second End Relationship With First End:

Not identical

Thread Size:

0.312 inches

Second Shank Diameter:

Between 0.316 inches and 0.319 inches

First End Location:

Short shank end

First End Taper Angle:

60.0 degrees

Second End Taper Angle:

Any acceptable

Second Shank Length:

Between 2.550 inches and 2.570 inches

Material:

Steel comp 1010 or steel comp b1112

Material Specification:

Aisi assn standard 1st material response or aisi 1211 assn standard 2nd material response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0