

View Online at <https://aerobasegroup.com/nsn/5315-00-341-9242>

**First End Style:**

Oval

**Second End Style:**

Oval

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.620 inches

**Taper Length:**

1.938 inches

**Taper Minor Diameter:**

0.450 inches

**Taper Major Diameter:**

Between 0.476 inches and 0.479 inches

**Grip Length:**

1.380 inches

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.438 inches

**Taper:**

0.0208 per foot in inches

**First End Location:**

Threaded end

**Criticality Code Justification:**

Abqb

**First End Outer Radius:**

Between 0.476 inches and 0.479 inches

**Second End Outer Radius:**

0.450 inches

**Material:**

Steel comp 1010 or steel comp 1030

**Material Specification:**

Fed standard 66 federal standard all material responses

**Surface Treatment:**

Phosphate manganese

**Surface Treatment Specification:**

Mil-p-16232 type m class 1 military specification single treatment response

**Style Designator:**

Threaded at large end

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-p-16232 spec.