

View Online at <https://aerobasegroup.com/nsn/5315-00-350-1828>

**First End Style:**

Chamfered

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

Between 0.141 inches and 0.151 inches

**Second Hole Diameter:**

Between 0.141 inches and 0.151 inches

**Distance From Centerline Of Hole To End Of Pin:**

Between 0.110 inches and 0.130 inches

**Center To Center Distance Between Holes:**

Between 1.850 inches and 1.870 inches

**Pinlength:**

Between 2.120 inches and 2.150 inches

**Pindiameter:**

Between 0.6180 inches and 0.6230 inches

**First End Taper Length:**

Between 0.020 inches and 0.050 inches

**Second End Relationship With First End:**

Identical

**Hardness Rating:**

43.0 rockwell c and 48.0 rockwell c

**First End Taper Angle:**

Between 44.0 degrees and 46.0 degrees

**Surface Finish:**

63.0 microinches

**Material:**

Steel comp 634

**Material Specification:**

Ams5743 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0