NSN 5315-00-404-9434

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-404-9434

First End Style:				
Chamfered				
Second End Style:				
Oval				
Thread Class:				
2a				
Thread Direction:				
Right-hand				
Thread Length:				
0.812 inches				
Overall Length:				
1.050 inches				
First End Taper Length:				
0.062 inches				
Features Provided:				
Casehardened				
Second End Relationship With First End:				
Not identical				
Hardness Rating:				
32.0 rockwell c and 50.0 rockwell c				
Thread Size:				
0.250 inches				
First End Location:				
Threaded end				
First End Outer Radius:				
0.260 inches				
Special Features:				
50 dp straight full knurl, 0.318 in. Diameter by 0.100 in. Lg, located 0.025 in. From shoulder on thd end				
Material:				
Steel comp 303				
Material Specification:				
Qq-s-764, cl 303, cond b federal specification single material response				
Surface Treatment:				
Passivate				
Surface Treatment Specification:				
Mil-s-5002 military specification single treatment response				
Style Designator:				
Undercut				
Thread Series Designator:				
Unf				
Shelf Life:				
N/a				

NSN 5315-00-404-9434

Headless Shoulder Pin - Page 2 of 2



ι	Jnit	Of	Measure:
•	,,,,,	•	moudai c.

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-5002 spec.