NSN 5315-00-412-2518

Headless Straight Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-00-412-2518

First End Style:
Chamfered
Second End Style:
Radius
Pinlength:
Between 1.490 inches and 1.510 inches
Pindiameter:
Between 0.1259 inches and 0.1261 inches
Second End Corner Radius:
0.041 inches
First End Taper Length:
0.346 inches
Features Provided:
Casehardened
Second End Relationship With First End:
Not identical
Shear Strength:
3200 double pound
First End Taper Angle:
Between 4.0 degrees and 16.0 degrees
Surface Finish:
16.0 microinches outside diameter
Special Features:
Special Features: Radius end may be chamfered 25.0 deg
-
Radius end may be chamfered 25.0 deg
Radius end may be chamfered 25.0 deg Material:
Radius end may be chamfered 25.0 deg Material: Steel
Radius end may be chamfered 25.0 deg Material: Steel Material Specification:
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response Shelf Life:
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response Shelf Life: N/a
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response Shelf Life: N/a
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response Shelf Life: N/a Unit Of Measure:
Radius end may be chamfered 25.0 deg Material: Steel Material Specification: 66 federal standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: