## NSN 5315-00-432-5406

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-432-5406

First End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.280 inches
Shank Length:
0.280 inches
Shoulder Diameter:
0.187 inches
Shank Diameter:
0.086 inches
Overall Length:
2.030 inches
Hole Arrangement Style:
One end w/two drilled holes
First Hole Diameter:
0.062 inches
Second Hole Diameter:
0.062 inches
Distance From Centerline Of Hole To End Of Pin:
0.180 inches
First End Taper Length:
Between 0.016 inches and 0.031 inches
Second End Relationship With First End:
Identical
Thread Size:
0.086 inches
First End Location:
Shank end
First End Taper Angle:
45.0 degrees
Angle Between Centerline Of Holes:
90.0 degrees
Material:
Steel comp 303 or steel comp 303se or steel comp 303 plus x
Material Specification:
Ams5640 assn standard single material response
Surface Treatment:

Passivate

## NSN 5315-00-432-5406

Headless Shoulder Pin - Page 2 of 2



## Surface Treatment Specification: Qq-p-35 federal specification single treatment response Style Designator: Shoulder Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: - Demilitarization: No

**Fiig:** A212a0