

View Online at <https://aerobasegroup.com/nsn/5315-00-433-4125>

First End Style:

Chamfered

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

Between 0.093 inches and 0.098 inches

Second Hole Diameter:

Between 0.093 inches and 0.098 inches

Distance From Centerline Of Hole To End Of Pin:

Between 0.220 inches and 0.280 inches

Center To Center Distance Between Holes:

Between 1.720 inches and 1.780 inches

Pinlength:

Between 2.220 inches and 2.280 inches

Pindiameter:

Between 0.4930 inches and 0.4980 inches

First End Taper Length:

Between 0.020 inches and 0.040 inches

Second End Relationship With First End:

Identical

Hardness Rating:

26.0 rockwell c and 32.0 rockwell c

First End Taper Angle:

Between 44.0 degrees and 46.0 degrees

Surface Finish:

63.0 microinches

Material:

Steel comp 3310

Material Specification:

Mil-s-7393, comp 1 military specification single material response

Surface Treatment:

Chromium

Surface Treatment Specification:

Qq-c-320, type 1, class 2 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-s-7393 spec.