## NSN 5315-00-435-5085

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-435-5085

First End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.100 inches **Shank Length:** 0.100 inches **Shoulder Diameter:** 0.375 inches **Shank Diameter:** 0.188 inches **Overall Length:** 0.312 inches **Undercut Diameter:** 0.156 inches **Undercut Width:** Between 0.045 inches and 0.060 inches **Second Undercut Width:** 0.045 inches **Second Undercut Diameter:** 0.156 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: 0.076 inches Distance From Centerline Of Hole To End Of Pin: 0.070 inches First End Taper Length: 0.020 inches Second End Relationship With First End: Identical **Thread Size:** 0.190 inches **Second Shank Diameter:** 0.188 inches **First End Location:** Both ends First End Taper Angle:

45.0 degrees

## NSN 5315-00-435-5085

Headless Shoulder Pin - Page 2 of 2



Material:
Steel comp 316
Surface Treatment:
Passivate
Surface Treatment Specification:
${\bf 171, 5.4.1 military standard single treatment response}$
Style Designator:
Undercut
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0