NSN 5315-00-435-5944

Headless Shoulder Pin - Page 1 of 2

Chamfered



View Online at https://aerobasegroup.com/nsn/5315-00-435-5944

First End Style:

Second End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.440 inches **Shank Length:** 1.340 inches **Shoulder Width Across Flats:** 0.375 inches **Shank Diameter:** Between 0.307 inches and 0.308 inches **Overall Length:** 2.500 inches **End Application:** An/alq-119/184 commone First End Taper Length: 0.574 inches **Features Provided:** Casehardened Second End Relationship With First End: Not identical **Hardness Rating:** 37.0 rockwell c and 41.0 rockwell c Thread Size: 0.312 inches **Second Shank Diameter:** Between 0.311 inches and 0.312 inches **First End Location:** Large end First End Taper Angle: 15.0 degrees **Second Shank Length:** 1.060 inches Material:

Material Specification:

Steel comp 416

Qq-s-764 federal specification single material response

NSN 5315-00-435-5944

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, e300 military specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0
Mil-std (military Standard):

Mil-f-14072 spec.