NSN 5315-00-461-4137

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-461-4137

First End Style:
Chamfered
Second End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.240 inches
Shank Length:
Between 0.270 inches and 0.290 inches
Shoulder Diameter:
0.250 inches
Shank Diameter:
0.164 inches
Overall Length:
1.780 inches
Internal Drive Style:
Slot
First End Taper Length:
0.020 inches
Second End Taper Length:
0.030 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.164 inches
First End Location:
Both ends
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
45.0 degrees
Special Features:
Thd relief 0.118 in. Diameter 0.040 in wide located on shank end, slot 0.050 in. Wide, 0.060 in. Deep located on shoulder end
Material:
Steel comp 303
Material Specification:
Astm a582 assn standard single material response
Surface Treatment:
Passivate

NSN 5315-00-461-4137

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Astm a380 assn standard single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0