NSN 5315-00-469-5338

Headless Shoulder Pin - Page 1 of 1

Fiig: A212a0



View Online at https://aerobasegroup.com/nsn/5315-00-469-5338 First End Style: Chamfered **Second End Style:** Square **Shank Length:** Between 0.485 inches and 0.525 inches **Shoulder Width Across Flats:** 0.375 inches **Shank Diameter:** Between 0.244 inches and 0.248 inches **Overall Length:** Between 0.930 inches and 0.950 inches First End Taper Length: Between 0.020 inches and 0.040 inches Second End Relationship With First End: Not identical First End Location: Shank end First End Taper Angle: 15.0 degrees **Surface Finish:** 63.0 microinches outside diameter **Special Features:** 10-32unf threaded hole 0.210 in. Min 0.230 in. Maximum through shoulder from bearing surface, 0.093 in. Diameter hole drilled through center of threaded hole angle between centerline of holes 90.0 deg, 0.078 in. Diameter hole drilled through shank parallel to threaded hole 0.370 in. Min 0.380 in. Maximum from shoulder bearing surface Material: Steel **Material Specification:** 30.020-00 fscm 15434 mfr ref single material response **Style Designator:** Shoulder Shelf Life: N/a **Unit Of Measure: Demilitarization:** No