NSN 5315-00-472-3701

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-472-3701 First End Style: Slotted Second End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.280 inches **Shank Length:** 0.190 inches **Shoulder Diameter:** 0.312 inches **Shank Diameter:** 0.154 inches **Overall Length:** 0.550 inches **Internal Drive Style:** Slot First End Slot Width: 0.047 inches First End Slot Depth: 0.047 inches Second End Relationship With First End: Not identical **Thread Size:** 0.164 inches **Second Shank Diameter:** 0.164 inches First End Location: Grooved end **Second Shank Length:** 0.310 inches Material: Steel comp 303 **Material Specification:** Qq-s-764 federal specification single material response **Surface Treatment: Passivate**

Surface Treatment Specification:

Mil-f-14072, e300 military specification single treatment response

NSN 5315-00-472-3701

Headless Shoulder Pin - Page 2 of 2

A212a0

Mil-std (military Standard):

Mil-f-14072 spec.



Style Designator:
Shoulder
Test Data Document:
98230-0n151673 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: