

View Online at <https://aerobasegroup.com/nsn/5315-00-480-3578>

First End Style:

Chamfered

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

0.160 inches

Second Hole Diameter:

0.160 inches

Distance From Centerline Of Hole To End Of Pin:

0.250 inches

Center To Center Distance Between Holes:

11.000 inches

Pinlength:

11.500 inches

Pindiameter:

Between 0.8740 inches and 0.8745 inches

First End Taper Length:

0.130 inches

Features Provided:

Casehardened

Second End Relationship With First End:

Identical

Hardness Rating:

57.0 rockwell c and 62.0 rockwell c

First End Taper Angle:

45.0 degrees

Surface Finish:

32.0 microinches outside diameter

Material:

Steel comp 4118 or steel comp 4140 or steel comp 4320 or steel comp 4340 or steel comp 8620 or steel comp 8640 or steel comp 8740

Material Specification:

Qq-s-624 federal specification all material responses

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-p-16232 ty m cl 4b military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.