NSN 5315-00-502-0503

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-502-0503 First End Style: Chamfered **Second End Style:** Chamfered **Shank Length:** Between 1.040 inches and 1.050 inches Shoulder Diameter: Between 0.245 inches and 0.250 inches **Shank Diameter:** Between 0.133 inches and 0.135 inches **Overall Length:** Between 1.290 inches and 1.310 inches First End Taper Length: Between 0.016 inches and 0.031 inches **Second End Taper Length:** Between 0.016 inches and 0.047 inches Second End Relationship With First End: Not identical **Hardness Rating:** 43.0 rockwell c and 49.0 rockwell c **Second Shank Diameter:** Between 0.195 inches and 0.200 inches **First End Location:** Short shank end First End Taper Angle: 40.0 degrees **Surface Finish:** 125.000 microinches Second End Taper Angle: 50.0 degrees **Second Shank Length:** Between 0.075 inches and 0.085 inches Material: Steel comp 1335 or steel comp 1340 or steel comp 4042 or steel comp 4140 or steel or steel comp 1212 or steel comp 9260 **Surface Treatment:** Phosphate **Style Designator:** Shoulder Shelf Life: N/a

--

Unit Of Measure:

NSN 5315-00-502-0503

Headless Shoulder Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0