## NSN 5315-00-515-5860

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-515-5860 First End Style: Chamfered Second End Style: Slotted **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.750 inches **Shank Length:** 1.063 inches **Shoulder Diameter:** 1.2490 inches **Shank Diameter:** 0.875 inches **Overall Length:** 5.875 inches **Internal Drive Style:** Slot **Hole Arrangement Style:** Both end drilled First Hole Diameter: 0.188 inches **Second Hole Diameter:** 0.188 inches Distance From Centerline Of Hole To End Of Pin: 2.375 inches **Center To Center Distance Between Holes:** 1.875 inches **Second End Slot Width:** 0.188 inches First End Taper Length: 0.062 inches **Second End Slot Depth:** 0.188 inches **Features Provided:** Casehardened Second End Relationship With First End: Not identical

**Thread Size:** 0.875 inches

## NSN 5315-00-515-5860

Headless Shoulder Pin - Page 2 of 2



First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Surface Finish:
63.0 microinches shoulder end
Material:
Steel comp 1117
Surface Treatment:
Chromium
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A 242a0