

View Online at <https://aerobasegroup.com/nsn/5315-00-531-0581>

**First End Style:**

Chamfered

**Shank Length:**

Between 0.385 inches and 0.395 inches

**Shoulder Diameter:**

Between 0.4390 inches and 0.4395 inches

**Shank Diameter:**

Between 0.2485 inches and 0.2490 inches

**Overall Length:**

3.031 inches

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

0.076 inches

**Second Hole Diameter:**

0.076 inches

**Distance From Centerline Of Hole To End Of Pin:**

Between 0.790 inches and 0.810 inches

**Center To Center Distance Between Holes:**

1.430 inches

**First End Taper Length:**

0.031 inches

**Second End Relationship With First End:**

Identical

**Hardness Rating:**

34.0 rockwell c and 38.0 rockwell c

**Second Shank Diameter:**

Between 0.385 inches and 0.395 inches

**First End Location:**

Both ends

**First End Taper Angle:**

45.0 degrees

**Criticality Code Justification:**

Aavh and aaze

**Second Shank Length:**

Between 0.385 inches and 0.395 inches

**Special Features:**

Both shank ends chamfered 0.031 in. By 45 degrees on edges not cited in abql and abqm

**Material:**

Steel comp 1095

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0