

View Online at <https://aerobasegroup.com/nsn/5315-00-538-0874>

**First End Style:**

Chamfered

**Head Style:**

Round w/wrench flats

**Under Head Length:**

3.688 inches

**First Step Diameter:**

Between 1.433 inches and 1.435 inches

**First Step Length:**

0.562 inches

**Second Step Diameter:**

Between 1.369 inches and 1.371 inches

**Second Step Length:**

3.125 inches

**Head Width:**

Between 1.612 inches and 1.620 inches

**First End Taper Length:**

0.062 inches

**Width Across Flats:**

Between 1.612 inches and 1.620 inches

**Features Provided:**

Casehardened

**Hardness Rating:**

30.0 rockwell c and 35.0 rockwell c

**First End Taper Angle:**

45.0 degrees

**Pin Head Diameter:**

Between 2.094 inches and 2.125 inches

**Special Features:**

0.219 in. Diameter hole drilled through shank 90 degrees to flats 3.438 in. Center of hole to bottom surface of head, bottom edge of flats chamfered 0.062 in. By 45 deg

**Height:**

0.312 inches

**Material:**

Steel comp 4135h or steel comp 4140 or steel comp 5140 or steel comp 8640 or steel comp 8740

**Surface Treatment:**

Chromium

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0