NSN 5315-00-544-7161

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-544-7161 First End Style: Chamfered Second End Style: Slotted **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.190 inches **Shank Length:** Between 0.170 inches and 0.190 inches **Shoulder Diameter:** Between 0.365 inches and 0.385 inches **Shank Diameter:** Between 0.210 inches and 0.220 inches **Overall Length:** Between 0.420 inches and 0.440 inches **Internal Drive Style:** Slot **Second End Slot Width:** Between 0.050 inches and 0.070 inches First End Taper Length: 0.030 inches **Second End Slot Depth:** Between 0.050 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.375 inches First End Location: Shank end First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: Steel comp 303 **Material Specification:** Qq-s-763, cond 1 federal specification single material response **Surface Treatment: Passivate**

Shoulder

Style Designator:

NSN 5315-00-544-7161

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A212a0