## NSN 5315-00-564-6623

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-564-6623 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.229 inches **Shank Length:** 0.281 inches **Shoulder Diameter:** Between 0.186 inches and 0.187 inches **Shank Diameter:** Between 0.146 inches and 0.149 inches **Overall Length:** 0.750 inches **Undercut Diameter:** 0.125 inches **Undercut Width:** 0.031 inches **Second Undercut Width:** 0.031 inches First End Taper Length: 0.005 inches **Second End Taper Length:** Between 0.025 inches and 0.031 inches Second End Relationship With First End: Not identical **Thread Size:** 0.164 inches **Second Shank Diameter:** 0.164 inches First End Location: Shank end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 

45.0 degrees **Second Shank Length:** 0.229 inches

## NSN 5315-00-564-6623

Headless Shoulder Pin - Page 2 of 2



Material:
Steel comp 303
Material Specification:
Qq-s-764, cond a federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Undercut
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0