NSN 5315-00-582-1521

Headless Grooved Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-582-1521 First End Style: Chamfered **Overall Length:** Between 0.927 inches and 0.947 inches Diameter: Between 0.2490 inches and 0.2495 inches **Effective Length:** Between 0.755 inches and 0.760 inches **Undercut Diameter:** Between 0.2285 inches and 0.2315 inches **Undercut Width:** Between 0.028 inches and 0.031 inches **Second Undercut Width:** Between 0.028 inches and 0.031 inches First End Taper Length: Between 0.021 inches and 0.041 inches Second End Relationship With First End: Identical **Hardness Rating:** 265.0 brinell hultgren and 290.0 brinell hultgren **First End Location:** Both ends First End Taper Angle: Between 40.0 degrees and 50.0 degrees **Surface Finish:** 32.0 microinches shank end Material: Steel comp w110 **Material Specification:** Mil-t-18291, class w1-ndr military specification single material response **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-p-16232, type 1 military specification single treatment response **Style Designator:** Groove Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5315-00-582-1521

Headless Grooved Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-t-18291 spec.